



«Rumba» Ltd


Processing of gneiss and gneiss flag stones from Ivaylovgrad

OFFER

golden-brown



silvery-grey



Plates for cutting and flooring - /natural, non shaped/:



№	Pc./ m²:	Thickness:
1	to 8 pc.	1.5 - 4.5 cm
2	to 4 pc.	2.0 - 4.0 cm
3	12 pc.	2.0 - 4.0 cm

Polygonal plates - /natural, non processed - with different forms/: used for revetment and flooring over a concrete base.



№	Pc. / m²:	Thickness:
1	4 - 15 pc.	1.5 - 2.5 cm
2	8 - 12 pc.	1.5 - 2.5 cm
3	6 - 9 pc.	1.5 - 2.5 cm

Tel: Vasil Panayotov +359893385170
(Manager) Rumen Panayotov +359897937816

©„Rumba” Ltd, Ivaylovgrad, FAX: +359 3661 6151, E-mail: rumba_ltd@abv.bg, Web: www.gneiss-rumba.com



«Rumba» Ltd

Processing of gneiss and gneiss flag stones from Ivaylovgrad

Processed plates - /cut/: used for flooring.



№	Width:	Length:	Thickness:
1	8 cm	free	2.5 - 4.5 cm
2	10 cm	free	2.5 - 4.5 cm
3	15 cm	free	2.5 - 4.5 cm
4	20 cm	free	2.5 - 4.5 cm
5	25 cm	free	2.5 - 4.5 cm
6	30 cm	free	2.5 - 4.5 cm

Processed plates - /cut/:
used for revetment and flooring over a concrete base.



№	Width:	Length:	Thickness:
1	8 cm	free	1.5 - 2.5 cm
2	10 cm	free	1.5 - 2.5 cm
3	15 cm	free	1.5 - 2.5 cm
4	20 cm	free	1.5 - 2.5 cm
5	25 cm	free	1.5 - 2.5 cm
6	30 cm	free	1.5 - 2.5 cm

* Note: That are the basic sizes, with which we work, but we could realize and individual sizes, given by the client.

Tel: Vasil Panayotov +359893385170
(Manager) Rumen Panayotov +359897937816

©„Rumba” Ltd, Ivaylovgrad, FAX: +359 3661 6151, E-mail: rumba_ltd@abv.bg, Web: www.gneiss-rumba.com



«Rumba» Ltd

Processing of gneiss and gneiss flag stones from Ivaylovgrad

Cutouts - /pieces from cuted plates, suitable for revetment/:

Pc./ m²: 5 - 20 pc.
Thickness: 1 - 1.5 cm



Stones for glitz masonry - /bones/:

thinly cutouts, suitable for decorative masonry. They create illusion for masonry.

Width: 3 - 5 cm
Length: 15 - 40 cm
Thickness: 3 - 4 cm



Building stones - /decorative and complete stone masonry/:

Height: 10 - 20 cm
Length: 20 - 60 cm
Thickness: 10 - 20 cm



Paving-stones:

№	Pc./ m²:	Thickness:
1	10 x 10 cm	1.5 - 2.5 cm
2	12 x 12 cm	1.5 - 2.5 cm
3	15 x 15 cm	1.5 - 2.5 cm
4	10 x 10 cm	2.5 - 4.0 cm
5	12 x 12 cm	2.5 - 4.0 cm
6	15 x 15 cm	2.5 - 4.0 cm



Tel: Vasil Panayotov +359893385170
(Manager) Rumen Panayotov +359897937816

©„Rumba” Ltd, Ivaylovgrad, FAX: +359 3661 6151, E-mail: rumba_ltd@abv.bg, Web: www.gneiss-rumba.com